

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3	orbital adj riveting adj technique	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/23 08:55
L2	3	(orbital daisy) adj riveting adj technique	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/23 08:55
S1	12	((("6182361") or ("5469759") or ("3800579") or ("5627464") or ("20020011222")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/23 08:54
S2	0	troadec-christophe.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/11 10:26
S3	0	latroadec-christophe.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/11 10:26
S4	0	la\$1troadec-christophe.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/11 10:26
S5	3	gourlay-yves.inv.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/11 10:27
S6	0	(la adj troadec).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/11 10:27
S7	0	(la-troadec).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/11 10:28
S8	0	camshaft near2 rivit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/11 10:29

S9	3	camshaft near2 rivet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/11 10:30
S10	20	camshaft with rivet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/11 10:39
S11	2211	((123/90.6) or (29/888.1) or (74/567)).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/17 09:58
S12	9501	shaft with rivet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/11 10:40
S13	17	S12 with plastic with deformation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/11 10:43
S14	83555	camshaft (cam adj shaft)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/11 10:43
S15	4306	S14 with sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/11 10:43
S16	1	S15 with rivet\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/11 10:44
S17	261	S15 with attached	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/11 10:44
S18	0	S15 with deformation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/11 10:44

S19	9	S15 with plastic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/11 10:44
S20	368	S15 with connected	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/11 10:45
S21	25	S15 with bolt\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/11 10:49
S22	33	sensor with rivet with shaft	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/11 10:53
S23	17	S14 with sensor with affix\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/11 10:57
S24	9501	shaft with rivet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/11 10:58
S25	3847	S24 with end	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/11 10:58
S26	1438	S25 with (fix\$3 attach\$3 affix\$3 connect\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/11 11:00
S27	1	S11 and S26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/11 10:59
S28	156596	("123").CLAS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/11 11:00

S29	1	S26 and S27	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/11 11:00
S30	8	S26 and S28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/11 11:02
S31	42	shaft with sensor with rivet\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/11 11:03
S32	205	(29/888.1).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/11 12:17
S33	0	S32 with rivet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/11 11:05
S34	4	S32 and rivet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/11 11:06
S35	5	S32 and rivet\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/11 11:12
S36	0	S11 with rivet\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/11 11:12
S37	27	S11 and rivet\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/11 11:17
S38	48202	hollow adj tube	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/11 11:17

S39	2358326	tube	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/11 11:17
S40	5558	S39 with rivet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/11 11:18
S41	2398	S40 with end	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/11 11:18
S42	625	S41 with(fix\$3 connect\$3 affix\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/11 11:18
S43	2	S42 with sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/11 11:19
S44	61026	hollow adj shaft	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/11 11:19
S45	144	S44 with rivet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/11 11:21
S46	15762	S14 with (affix\$3 fix\$3 attach\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/11 11:22
S47	433	S46 with sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/11 11:22
S48	2	S47 and S11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/11 11:22

S49	131	S32 and camshaft	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/11 12:07
S50	6	S49 and sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/11 12:10
S51	6	((("5627464") or ("5987973") or ("6277045")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/11 12:16
S52	32515	bolt\$3 near3 rivet\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/11 12:16
S53	1	S52 with camshaft	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/11 12:16
S54	205	(29/888.1).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/11 12:23
S55	2	S52 and S54	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/11 12:18
S56	117	S28 and S52	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/11 12:18
S57	205	(29/888.1).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/11 12:24
S58	131	S57 and camshaft	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/11 12:33

S59	3436	cam with rivet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/11 12:33
S60	4578	cam with rivet\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/11 12:34
S61	1123	S60 with member	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/11 12:34
S62	140	S61 with shaft	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/11 12:35
S63	45386	cam adj member	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/11 12:35
S64	262	S63 with rivet\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/11 12:35
S65	27	S64 with shaft	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/11 12:35
S66	10	("5182943" "5293776" "5333577" "5463898" "5497737" "5623897" "5627464" "5769044").PN. OR ("5987973").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/11 12:39
S67	8549	rotat\$4 adj detect\$4	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/11 12:40
S68	19	S67 with camshaft	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/11 12:41
S69	1	S67 with rivet\$4	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/11 12:41

S70	20	S11 and shaft and rivet\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/11 12:43
S71	752	eyelet adj rivet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/12 07:33
S72	87	orbital adj riveting	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/12 06:53
S73	1	daisy adj riveting	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/12 06:52
S74	38105	plastic adj deformation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/12 07:33
S75	18	S74 with camshaft	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/12 07:33
S76	1	1989-179678.NRAN.	DERWENT	OR	ON	2006/01/12 07:47
S77	155	(403/277).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/12 07:50
S78	37	S77 and plastic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/12 07:50
S79	17	S78 and deformat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/12 07:50

S80	15	("3887776" "3899050" "4132607" "4180622" "4552259" "4597365" "4612695" "4660269" "4694937" "4750250" "4763503" "5004370" "5101554" "5103942").PN. OR ("5447385").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/12 07:53
S81	654	plastic with deformation with shaft	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/12 07:53
S82	47	S81 with hollow	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/12 07:53
S83	2	("5960757").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/17 09:18
S84	2	("5987973").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/17 09:20
S85	2	("5447385").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/17 09:58
S86	629	camshaft with tube	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/17 09:58
S87	137	camshaft near2 tube	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/17 09:58
S88	2212	((123/90.6) or (29/888.1) or (74/567)).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/17 09:58
S89	31	S87 and S88	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/17 10:05
S90	3	gourlay-yves.inv.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/17 10:09

S91	7194	cold adj forming	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/17 10:10
S92	10	S88 and S91	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/17 10:10
S93	4	S91 with camshaft	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/17 10:11
S94	38154	plastic adj deformation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/17 10:11
S95	51	S91 with S94	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/17 10:11
S96	0	S88 and S95	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/17 10:11
S97	0	S95 and camshaft	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/17 10:11
S98	24	S91 near2 S94	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/17 10:14
S99	180	cold with forming with plastic with deformation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/17 10:15
S10 0	0	S99 with camshaft	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/17 10:14

S10 1	0	S99 with reveting	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/17 10:15
S10 2	0	S99 with riveting	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/17 10:15
S10 3	2	S99 and S88	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/17 10:16
S10 4	31	cold adj flow adj forming	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/17 10:16
S10 5	0	S94 with S104	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/17 10:17
S10 6	0	S94 same S104	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/17 10:17
S10 7	202	S94 with cold with (forming forging)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/17 10:18
S10 8	2	S107 and S88	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/17 10:17
S10 9	11374	cold adj (forming forging)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/17 10:18
S11 0	13	S109 and S88	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/17 12:03

S11 1	2	("5263386").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/17 12:03
----------	---	-----------------	---	----	-----	------------------